

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ultra-3

Revision: 01.07.2025

Product code: DG-009

Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Ultra-3

UFI: N330-D0MQ-K00H-N3TE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Creating a black layer on iron, steel and zinc (burnishing)

Uses advised against

Other uses than those specified in section 1.2 of this safety data sheet are not recommended.

1.3. Details of the supplier of the safety data sheet

Company name: Thomas Henning e.K.
Street: Buschurweg 4
Place: D-76870 Kandel
Telephone: +49 7275 94 78 199
E-mail: info@drgalva.com
Contact person: Thomas Henning
E-mail: info@drgalva.com
Internet: drgalva.net

1.4. Emergency telephone number:

Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department or the NHS enquiry service.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290
Acute Tox. 4; H332
Acute Tox. 4; H302
Skin Corr. 1B; H314
Eye Dam. 1; H318
Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

sodium chlorate
Selenium dioxide
nitric acid
sodium hydroxide

Signal word:

Danger

Pictograms:



Hazard statements

H290 May be corrosive to metals.
H302+H332 Harmful if swallowed or if inhaled.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ultra-3

Revision: 01.07.2025

Product code: DG-009

Page 2 of 14

H314 Causes severe skin burns and eye damage.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P260 Do not breathe mist/vapours/spray.
P280 Wear protective gloves/protective clothing and eye protection/face protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P501 Dispose of contents/container to an appropriate recycling or disposal facility.

2.3. Other hazards

Endocrine disrupting properties: sodium fluoride.
The components in this formulation do not meet the criteria for classification as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7664-38-2	phosphoric acid			5 - < 10 %
	231-633-2	015-011-00-6	01-2119485924-24	
	Met. Corr. 1, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1; H290 H302 H314 H318			
7775-09-9	sodium chlorate			3 - < 5 %
	231-887-4	017-005-00-9	01-2119474389-23	
	Ox. Sol. 1, Acute Tox. 3; H271 H301			
7446-08-4	Selenium dioxide			2,5 - < 5 %
	231-194-7	034-002-00-8	01-2120089867-33	
	Acute Tox. 2, Acute Tox. 3, Skin Corr. 1B, Eye Dam. 1, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H330 H301 H314 H318 H373 H400 H410			
7697-37-2	nitric acid			2 - < 3 %
	231-714-2	007-030-00-3	01-2119487297-23	
	Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A; H272 H290 H331 H314 EUH071			
1310-73-2	sodium hydroxide			1.5 - < 2 %
	215-185-5	011-002-00-6	01-2119457892-27	
	Met. Corr. 1, Skin Corr. 1A, Eye Dam. 1; H290 H314 H318			
7681-49-4	sodium fluoride			0,5 - < 1 %
	231-667-8	009-004-00-7	01-2119539420-47	
	Acute Tox. 3, Skin Irrit. 2, Eye Irrit. 2; H301 H315 H319 EUH032			
7758-99-8	copper sulphate pentahydrate			2,5 - < 5 %
	231-847-6	029-023-00-4	01-2119520566-40	
	Acute Tox. 4, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H302 H318 H400 H410			

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ultra-3

Revision: 01.07.2025

Product code: DG-009

Page 3 of 14

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
7664-38-2	231-633-2	phosphoric acid	5 - < 10 %
		oral: ATE = 500 mg/kg Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25	
7775-09-9	231-887-4	sodium chlorate	3 - < 5 %
		inhalation: LC50 = > 7 mg/l (dusts or mists); dermal: LD50 = > 10000 mg/kg; oral: ATE 100 mg/kg	
7446-08-4	231-194-7	Selenium dioxide	2,5 - < 5 %
		inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); oral: ATE = 100 mg/kg	
7697-37-2	231-714-2	nitric acid	2 - < 3 %
		inhalation: ATE 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 - 100 Skin Corr. 1B; H314: >= 5 - < 20	
1310-73-2	215-185-5	sodium hydroxide	1,5 - < 2 %
		Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2	
7681-49-4	231-667-8	sodium fluoride	0,5 - < 1 %
		oral: LD50 = 52 mg/kg	
7758-99-8	231-847-6	copper sulphate pentahydrate	2,5 - < 5 %
		oral: ATE 481 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1	

Further Information

The percentages of the ingredients not listed here are all below the level of consideration.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of troubles or persistent symptoms, consult an doctor/physician.

After inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of irregular breathing or respiratory arrest, perform artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Call a doctor. Change contaminated clothing. Wash contaminated clothing before reuse.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

After ingestion

Rinse mouth, spit liquid again. Do NOT induce vomiting. Let water be drunken in little sips (dilution effect). Call a physician immediately. Aspiration hazard.

4.2. Most important symptoms and effects, both acute and delayed

irritation. burnes. gastro-intestinal ailment. Spasms. vomiting. Dyspnoea. Nausea. Stomach perforation. Circulatory collapse. Pulmonary oedema

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ultra-3

Revision: 01.07.2025

Product code: DG-009

Page 4 of 14

5.1. Extinguishing media**Suitable extinguishing media**

Carbon dioxide (CO₂). Extinguishing powder. Fight larger fires with water spray jet or alcohol-resistant foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Upon exposure to fire, harmful gases may be emitted.

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings. Wear a self-contained breathing apparatus and chemical protective clothing.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Avoid breathing dust/fume/gas/mist/vapours/spray. Provide adequate ventilation. Wear suitable protective clothing. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up**For containment**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Wear personal protection equipment. Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Personal precautions: refer to section 8 Persons with a history of skin sensitisation problems should not be employed in any process in which this product is used.

Provide adequate ventilation, especially in confined areas.

Do not empty into drains; dispose of this material and its container in a safe way.

Advice on general occupational hygiene

Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

Further information on handling

Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Store only in original container. Keep container tightly closed in a cool, well-ventilated place.

Protect from heat/overheating.

Store separately from oxidizing agents.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ultra-3

Revision: 01.07.2025

Product code: DG-009

Page 5 of 14

7.3. Specific end use(s)

Creating a black layer on iron, steel and zinc (burnishing)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m ³	fib/cm ³	Category	Origin
-	Fluorides, inorganic	-	2.5		TWA (8 h)	
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	
		-	2		STEL (15 min)	
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	

Biological limit values

CAS No	Substance	Parameter	Value	Test material	Sampling time
-	Inorganic fluorides (not uranium hexafluoride)	Fluoride	2 mg/L	Urine	Prior to shift

Additional advice on limit values

According to the currently valid lists, there are not further binding work place safety values.

8.2. Exposure controls

Appropriate engineering controls

Do not breathe gas/fumes/vapour/spray. Provide protection equipment (eye wash bottles, etc.).

Individual protection measures, such as personal protective equipment

Eye/face protection

Tightly sealed safety glasses.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material:: NBR (Nitrile rubber).

Thickness of glove material: >0,35 mm

penetration time (maximum wearing period): >480 min.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Protective clothing: Chemical resistant safety shoes

The design of personal protective equipment must be selected specifically for the job, depending on the concentration and quantity of hazardous substances. The chemical resistance of the protective agents should be clarified with their suppliers.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Protective respiration apparatus not using surrounding air (breathing apparatus) (DIN EN 133).

Ultra-3

Revision: 01.07.2025

Product code: DG-009

Page 6 of 14

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid	
Colour:	blue	
Odour:	characteristic	
Melting point/freezing point:		no data available
Boiling point or initial boiling point and boiling range:		100 °C
Flammability:		no data available
Lower explosion limits:		no data available
Upper explosion limits:		no data available
Flash point:		no data available
Auto-ignition temperature:		no data available
Decomposition temperature:		no data available
pH-Value (at 20 °C):		ca 1,5
Viscosity / kinematic:		no data available
Water solubility:		no data available
Solubility in other solvents		no data available
Dissolution rate:		no data available
Partition coefficient n-octanol/water:		no data available
Dispersion stability:		no data available
Vapour pressure:		no data available
Density:		1,0-1,1 g/cm ³
Relative density:		no data available
Bulk density:		no data available
Relative vapour density:		no data available
Particle characteristics:		no data available

9.2. Other information

Information with regard to physical hazard classes

Explosive properties	
not Explosive.	
Self-ignition temperature	
Solid:	no data available
Gas:	no data available
Oxidizing properties	
no data available	

Other safety characteristics

Evaporation rate:	no data available
Solvent separation test:	no data available
Solvent content:	no data available
Solid content:	no data available
Sublimation point:	no data available
Softening point:	no data available
Pour point:	no data available
Viscosity / dynamic:	no data available
Flow time:	no data available

Further Information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ultra-3

Revision: 01.07.2025

Product code: DG-009

Page 7 of 14

no data available

SECTION 10: Stability and reactivity**10.1. Reactivity**

Substances or mixtures corrosive to metals.

10.2. Chemical stability

The product is stable under normal environmental conditions (room temperature).

10.3. Possibility of hazardous reactions

No dangerous reactivity under regular conditions.

10.4. Conditions to avoid

Protect against contaminations.

10.5. Incompatible materials

Oxidising substances

Base

10.6. Hazardous decomposition products

In case of fire hazardous decomposition products may be formed.

Carbon dioxide (CO₂). Carbon monoxide. Phosphorus oxides. Metal oxide smoke, toxic**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity**

Harmful if inhaled.

Harmful if swallowed.

ATEmix calculated

ATE (oral) 884,1 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) 15,28 mg/l; ATE (inhalation dust/mist) 1,639 mg/l

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ultra-3

Revision: 01.07.2025

Product code: DG-009

Page 8 of 14

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7664-38-2	phosphoric acid				
	oral	ATE 500 mg/kg			
7775-09-9	sodium chlorate				
	oral	ATE 100 mg/kg			
	dermal	LD50 > 10000 mg/kg	Rabbit		
	inhalation (4 h) dust/mist	LC50 > 7 mg/l	Rat		
7446-08-4	Selenium dioxide				
	oral	ATE 100 mg/kg			
	inhalation vapour	ATE 0,5 mg/l			
	inhalation dust/mist	ATE 0,05 mg/l			
7697-37-2	nitric acid				
	inhalation vapour	ATE 2,65 mg/l			
7681-49-4	sodium fluoride				
	oral	LD50 52 mg/kg	Rat	RTECS	
7758-99-8	copper sulphate pentahydrate				
	oral	ATE 481 mg/kg			

Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage.

Serious eye damage/eye irritation: Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

Endocrine disrupting properties: sodium fluoride.

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ultra-3

Revision: 01.07.2025

Product code: DG-009

Page 9 of 14

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7664-38-2	phosphoric acid					
	Acute fish toxicity	LC50	138 mg/l	96 h	Gambusia affinis	
7775-09-9	sodium chlorate					
	Acute fish toxicity	LC50	1750 mg/l	96 h	Oncorhynchus mykiss	
7681-49-4	sodium fluoride					
	Acute fish toxicity	LC50	925 mg/l	96 h	Gambusia affinis	
	Acute algae toxicity	ErC50	850 mg/l	72 h	Desmodesmus subspicatus	
	Acute crustacea toxicity	EC50	338 mg/l	48 h	Daphnia magna	IUCLID

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
7775-09-9	sodium chlorate	-7,18

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Disposal according to official regulations.

Consult the local waste disposal expert about waste disposal. According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:

UN 3264

14.2. UN proper shipping name:

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid, phosphoric acid)

14.3. Transport hazard class(es):

8

14.4. Packing group:

II

Hazard label:

8

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ultra-3

Revision: 01.07.2025

Product code: DG-009

Page 10 of 14



Classification code: C1
 Special Provisions: 274
 Limited quantity: 1 L
 Excepted quantity: E2
 Transport category: 2
 Hazard No: 80
 Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 3264
14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid, phosphoric acid)
14.3. Transport hazard class(es): 8
14.4. Packing group: II
 Hazard label: 8



Classification code: C1
 Special Provisions: 274
 Limited quantity: 1 L
 Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 3264
14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid, phosphoric acid)
14.3. Transport hazard class(es): 8
14.4. Packing group: II
 Hazard label: 8



Special Provisions: 274
 Limited quantity: 1 L
 Excepted quantity: E2
 EmS: F-A, S-B
 Segregation group: 1 - acids

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 3264
14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid, phosphoric acid)
14.3. Transport hazard class(es): 8
14.4. Packing group: II
 Hazard label: 8



Special Provisions: A3 A803
 Limited quantity Passenger: 0.5 L

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ultra-3

Revision: 01.07.2025

Product code: DG-009

Page 11 of 14

Passenger LQ:	Y840	
Excepted quantity:	E2	
IATA-packing instructions - Passenger:		851
IATA-max. quantity - Passenger:		1 L
IATA-packing instructions - Cargo:		855
IATA-max. quantity - Cargo:		30 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



Danger releasing substance: Selenium dioxide, copper sulphate pentahydrate

14.6. Special precautions for user

No special precautions known.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to Directive 2012/18/EU (SEVESO III): E2 Hazardous to the Aquatic Environment

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

Additional information

Regulation (EC) No. 1907/2006 (REACH)

Regulation (EC) No. 648/2004 [Detergents regulation]: not applicable

Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer: not applicable

Regulation (EC) No 2019/1021 on persistent organic pollutants: not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council concerning the export and import of dangerous chemicals: This mix contains no chemicals that are subject to the export notification procedures (annex 1).

This mixture contains the following substances of very high concern (SVHC) which are included in the

Candidate List according to Article 59 of REACH: none

This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH: none

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 3 - highly hazardous to water

Additional information

Observe in addition any national regulations!

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

phosphoric acid

Selenium dioxide

sodium hydroxide

sodium fluoride

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ultra-3

Revision: 01.07.2025

Product code: DG-009

Page 12 of 14

SECTION 16: Other information**Changes**

Version 1,00 - 22.03.2021 - first creation

Version 1,01 - 09.02.2022 - General update

Version 1,02 - 29.08.2023 - Change and revision of the SDS because of new information / recipe

Version 1,03 - 08.04.2025 - Change and revision of the SDS because of new information / recipe

Version 1,04 - 01.07.2025 - Adjustments in sections 2, 11

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ultra-3

Revision: 01.07.2025

Product code: DG-009

Page 13 of 14

Abbreviations and acronyms

Ox. Liq. 3: Oxidising liquids, hazard category 3
 Ox. Sol. 1: Oxidising solids, hazard category 1
 Met. Corr. 1: Corrosive to metals, hazard category 1
 Acute Tox. 2: Acute toxicity, hazard category 2
 Skin Corr. 1A: Skin corrosion, sub-category 1A
 Skin Irrit. 2: Skin irritation, hazard category 2
 Eye Dam. 1: Serious eye damage, hazard category 1
 Eye Irrit. 2: Eye irritation, hazard category 2
 STOT RE 2: Specific target organ toxicity - repeated exposure, hazard category 2
 Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1
 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 BImSchV (Fed.Imm.Prot.Act): Directive on the Implementation of the Federal Immission Protection Act
 CAS: Chemical Abstracts Service
 DIN: Norm of the Deutsche Institut für Normung (German Institute for Standardization)
 EC: Effective Concentration
 EG: European Community (Europäische Gemeinschaft)
 EN: European Norm
 IATA: International Air Transport Association
 IBC Code: International Code for the Construction and Equipment of ships carrying Dangerous Chemicals in Bulk
 ICAO: International Civil Aviation Organization
 IMDG: International Maritime Code for Dangerous Goods
 ISO: Norm of the International Standards Organization
 CLP: Classification, Labeling, Packaging
 IUCLID: International Uniform Chemical Information Database
 LC: Lethal concentration
 LD: Lethal dose
 log Kow: Octanol/water partition coefficient
 MARPOL: Maritime Pollution Convention = Convention for the Prevention of Maritime Pollution from Ships
 OECD: Organisation for Economic Co-operation and Development
 PBT: Persistent, bio-cumulative, toxic
 RID: Regulation Concerning the International Transport of Dangerous Goods by Rail
 TRGS: Technische Regeln für Gefahrstoffe
 UN: United Nations
 VOC: Volatile Organic Compounds
 vPvB: very persistent and very bio-cumulative
 VwVwS: Administrative Regulation for Water Pollutants
 WGK: German Water Hazard Class
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 DNEL: Derived No Effect Level
 PNEC: Predicted No Effect Concentration
 TLV: Threshold Limiting Value
 STOT: Specific Target Organ Toxicity

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ultra-3

Revision: 01.07.2025

Product code: DG-009

Page 14 of 14

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Acute Tox. 4; H332	Calculation method
Acute Tox. 4; H302	Calculation method
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

H271	May cause fire or explosion; strong oxidiser.
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H302+H332	Harmful if swallowed or if inhaled.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH032	Contact with acids liberates very toxic gas.
EUH071	Corrosive to the respiratory tract.

Further Information

The information given in this safety data sheet is to describe the product's safety regulations. It is not for guaranteeing certain characteristics and is based on today's knowledge. The safety data sheet was generated upon information of pre-suppliers by:

asseso AG, Ottostraße 1, 63741, Aschaffenburg, Germany

Phone: +49 (0)6021 - 1 50 86-0, Fax: +49 (0)6021 - 1 50 86-77, E-Mail: eu-sds@asseso.eu, www.asseso.eu

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)