

according to Regulation (EC) No 1907/2006

# Zinc plating solution

Revision: 15.07.2025 Product code: DG-005 Page 1 of 11

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Zinc plating solution

Q830-E00H-600G-YSYJ

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Zinc plating of metals

### Uses advised against

Other uses than those specified in section 1.2 of this safety data sheet are not recommended.

## 1.3. Details of the supplier of the safety data sheet

Company name: Thomas Henning e.K. Street: Buschurweg 4 D-76870 Kandel Place: Telephone: +49 7275 94 78 199 E-mail: info@drgalva.com Contact person: Thomas Henning E-mail: info@drgalva.com Internet: draalva.net

1.4. Emergency telephone Emergency Action: In the event of a medical enquiry involving this product,

please contact your doctor or local hospital accident and emergency department number:

or the NHS enquiry service.

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### Regulation (EC) No 1272/2008

# Hazard components for labelling

zinc sulphate Succinic acid

potassium hydroxide; caustic potash

Signal word: Danger

Pictograms:





### **Hazard statements**

H290 May be corrosive to metals. H315 Causes skin irritation. H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

# Zinc plating solution

Revision: 15.07.2025 Product code: DG-005 Page 2 of 11

### **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves and eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container to an appropriate recycling or disposal facility.

### 2.3. Other hazards

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

### Relevant ingredients

CAS No	Chemical name			
	EC No	Index No	REACH No	
	Classification (Regulation (EC)	No 1272/2008)	•	
7446-19-7	zinc sulphate	10 - < 15 %		
	231-793-3	030-006-00-9	01-2119474684-27	
	Acute Tox. 4, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H302 H318 H400 H410			
110-15-6	Succinic acid	<3 %		
	203-740-4			
	Eye Dam. 1; H318			
1310-58-3	potassium hydroxide; caustic potash			1 - < 1.3 %
	215-181-3	019-002-00-8	01-2119487136-33	
	Met. Corr. 1, Acute Tox. 4, Skin			
532-32-1	sodium benzoate (SODIUM BE	1 - < 1.3 %		
	208-534-8			
	Eye Irrit. 2; H319			

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7446-19-7	231-793-3	zinc sulphate	10 - < 15 %
	oral: ATE = 500	mg/kg	
1310-58-3	215-181-3	potassium hydroxide; caustic potash	1 - < 1.3 %
		9 mg/kg Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin = 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2	

### **Further Information**

The percentages of the ingredients not listed here are all below the level of consideration.

# **SECTION 4: First aid measures**





according to Regulation (EC) No 1907/2006

# Zinc plating solution

Revision: 15.07.2025 Product code: DG-005 Page 3 of 11

### 4.1. Description of first aid measures

#### General information

In case of troubles or persistent symptoms, consult an doctor/physician.

#### After inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of irregular breathing or respiratory arrest, perform artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Wash contaminated clothing before reuse. Call a physician immediately.

### After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. Protect uninjured eye.

#### After ingestion

Rinse mouth, spit liquid again. Drink water for reasons of precaution. Do NOT induce vomiting. Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Following eye contact: irritation. burnes

Causes serious eye damage.

Causes skin irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

# Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Carbon dioxide (CO2). Extinguishing powder. Atomized water. Foam.

#### Unsuitable extinguishing media

High power water jet.

## 5.2. Special hazards arising from the substance or mixture

Upon exposure to fire, harmful gases may be emitted.

### 5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings. Wear a self-contained breathing apparatus and chemical protective clothing.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Wear suitable protective clothing.

Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## 6.3. Methods and material for containment and cleaning up

### For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Wear personal protection equipment. Treat the recovered material as prescribed in the section on waste disposal.

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.





according to Regulation (EC) No 1907/2006

# Zinc plating solution

Revision: 15.07.2025 Product code: DG-005 Page 4 of 11

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Personal precautions: refer to section 8

Provide adequate ventilation, especially in confined areas.

Do not empty into drains; dispose of this material and its container in a safe way.

### Advice on general occupational hygiene

Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

#### Further information on handling

Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Store only in original container. Keep container tightly closed in a cool, well-ventilated place.

Protect from heat/overheating.

Store separately from oxidizing agents.

### Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

### 7.3. Specific end use(s)

Zinc plating of metals

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
1310-58-3	Potassium hydroxide	-	2		STEL (15 min)	

### Additional advice on limit values

According to the currently valid lists, there are not further binding work place safety values.

### 8.2. Exposure controls

### Appropriate engineering controls

Do not breathe gas/fumes/vapour/spray. Provide protection equipment (eye wash bottles, etc.).

# Individual protection measures, such as personal protective equipment

#### Eye/face protection

Tightly sealed safety glasses.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material:: NBR (Nitrile rubber). Thickness of glove material: >0,11 mm



according to Regulation (EC) No 1907/2006

# Zinc plating solution

Revision: 15.07.2025 Product code: DG-005 Page 5 of 11

penetration time (maximum wearing period): >480 min.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Protective clothing: Chemical resistant safety shoes

The design of personal protective equipment must be selected specifically for the job, depending on the concentration and quantity of hazardous substances. The chemical resistance of the protective agents should be clarified with their suppliers.

### Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Protective respiration apparatus not using surrounding air (breathing apparatus) (DIN EN 133).

#### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: transparent
Odour: characteristic
Odour threshold: no data available

Melting point/freezing point:

no data available
Boiling point or initial boiling point and

100 °C

boiling range:

Flammability: no data available no data available Lower explosion limits: Upper explosion limits: no data available Flash point: not applicable Auto-ignition temperature: no data available Decomposition temperature: no data available pH-Value (at 20 °C): no data available Viscosity / kinematic: Water solubility: no data available

Solubility in other solvents no data available

no data available Dissolution rate: Partition coefficient n-octanol/water: no data available no data available Dispersion stability: Vapour pressure: no data available Vapour pressure: no data available Density: 1,1-1,2 g/cm3 Relative density: no data available Bulk density: no data available no data available Relative vapour density: no data available Particle characteristics:

### 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties not Explosive.
Self-ignition temperature

Solid: no data available

Oxidizing properties no data available

### Other safety characteristics

Thomas Henning e.K.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Zinc plating solution

Revision: 15.07.2025 Product code: DG-005 Page 6 of 11

Viscosity / dynamic: no data available

Further Information no data available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

none known

### 10.2. Chemical stability

The product is stable under normal environmental conditions (room temperature).

### 10.3. Possibility of hazardous reactions

No dangerous reactivity under regular conditions.

### 10.4. Conditions to avoid

Protect against contaminations.

### 10.5. Incompatible materials

Oxidising substances

Base

#### 10.6. Hazardous decomposition products

Upon exposure to fire, harmful gases may be emitted. Metal oxides.

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# **Acute toxicity**

Based on available data, the classification criteria are not met.

# **ATEmix** calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7446-19-7	zinc sulphate				
	oral	ATE 500 mg/kg			
1310-58-3	potassium hydroxide; caustic potash				
	oral	ATE 500 mg/kg			

### Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye damage.

### Sensitising effects

Based on available data, the classification criteria are not met.

# Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

# Zinc plating solution

Revision: 15.07.2025 Product code: DG-005 Page 7 of 11

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

### **Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Toxic to aquatic life with long lasting effects.

### 12.2. Persistence and degradability

No data available.

#### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No data available.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

Disposal according to official regulations.

Consult the local waste disposal expert about waste disposal. According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1. UN number or ID number: UN 1760

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (potassium hydroxide; caustic potash)

14.3. Transport hazard class(es):

14.4. Packing group:

Hazard label:



8 III

Classification code: C9
Special Provisions: 274
Limited quantity: 5 L



according to Regulation (EC) No 1907/2006

Revision: 15.07.2025 Zinc plating solution
Product code: DG-005 Page 8 of 11

Excepted quantity: E1
Transport category: 3
Hazard No: 80
Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1760

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (potassium hydroxide; caustic potash)

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Classification code: C9
Special Provisions: 274
Limited quantity: 5 L
Excepted quantity: E1

Marine transport (IMDG)

14.1. UN number or ID number: UN 1760

**14.2. UN proper shipping name:** CORROSIVE LIQUID, N.O.S. (potassium hydroxide; caustic potash)

 14.3. Transport hazard class(es):
 8

 14.4. Packing group:
 III

 Hazard label:
 8



Special Provisions: 223 274
Limited quantity: 5 L
Excepted quantity: E1
EmS: F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1760

**14.2. UN proper shipping name:** CORROSIVE LIQUID, N.O.S. (potassium hydroxide; caustic potash)

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3 A803

1 L

Y841

Excepted quantity:

E1

IATA-packing instructions - Passenger:852IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:856IATA-max. quantity - Cargo:60 L

14.5. Environmental hazards





according to Regulation (EC) No 1907/2006

# Zinc plating solution

Product code: DG-005 Revision: 15.07.2025 Page 9 of 11

**ENVIRONMENTALLY HAZARDOUS:** Yes



Danger releasing substance: zinc sulphate

#### 14.6. Special precautions for user

No special precautions known.

# 14.7. Maritime transport in bulk according to IMO instruments

not applicable

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to Directive

E2 Hazardous to the Aquatic Environment

2012/18/EU (SEVESO III):

### **Additional information**

Regulation (EC) No. 1907/2006 (REACH)

Regulation (EC) No. 648/2004 [Detergents regulation]: not applicable

Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer: not applicable

Regulation (EC) No 2019/1021 on persistent organic pollutants: not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council concerning the export and import of dangerous chemicals: This mix contains no chemicals that are subject to the export notification procedures (annex 1).

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH: none

### **National regulatory information**

Water hazard class (D): 3 - highly hazardous to water

## **Additional information**

Observe in addition any national regulations!

# 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

zinc sulphate

potassium hydroxide; caustic potash

## **SECTION 16: Other information**

### Changes

Version 1,00 - 18.03.2021 - first creation

Version 1,01 - 21.09.2023 - Change and revision of the SDS because of new information / recipe Version 1,02 - 15.07.2025 - Change and revision of the SDS because of new information / recipe



according to Regulation (EC) No 1907/2006

# Zinc plating solution

Revision: 15.07.2025 Product code: DG-005 Page 10 of 11

### Abbreviations and acronyms

Met. Corr. 1: Corrosive to metals, hazard category 1 Acute Tox. 4: Acute toxicity, hazard category 4 Skin Corr. 1A: Skin corrosion, sub-category 1A Skin Irrit. 2: Skin irritation, hazard category 2

Eye Dam. 1: Serious eye damage, hazard category 1

Eye Irrit. 2: Eye irritation, hazard category 2

Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

concerning the International Carriage of Dangerous Goods by Road)

BImSchV (Fed.Imm.Prot.Act): Directive on the Implementation of the Federal Immission Protection Act

CAS: Chemical Abstracts Service

DIN: Norm of the Deutsche Institut für Normung (German Institute for Standardization)

EC: Effective Concentration

EG: European Community (Europäische Gemeinschaft)

EN: European Norm

IATA: International Air Transport Association

IBC Code: International Code for the Construction and Equipment of ships carrying Dangerous Chemicals in

Bulk

ICAO: International Civil Aviation Organization

IMDG: International Maritime Code for Dangerous Goods ISO: Norm of the International Standards Organization

CLP: Classification, Labeling, Packaging

IUCLID: International Uniform ChemicaL Information Database

LC: Lethal concentration

LD: Lethal dose

log Kow: Octanol/water partition coefficient

MARPOL: Maritime Pollution Convention = Convention for the Prevention of Maritime Pollution from Ships

OECD: Organisation for Economic Co-operation and Development

PBT: Persistent, bio-cumulative, toxic

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail

TRGS: Technische Regeln für Gefahrstoffe

**UN: United Nations** 

VOC: Volatile Organic Compounds

vPvB: very persistent and very bio-cumulative

VwVwS: Administrative Regulation for Water Pollutants

WGK: German Water Hazard Class

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

**DNEL: Derived No Effect Level** 

PNEC: Predicted No Effect Concentration

TLV: Threshold Limiting Value STOT: Specific Target Organ Toxicity

# Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

- Classification for mixtares and assured interior associating to Regulation (20) No 12/2/200 [02]				
Classification	Classification procedure			
Met. Corr. 1; H290	On basis of test data			
Skin Irrit. 2; H315	Calculation method			
Eye Dam. 1; H318	Calculation method			
Aquatic Chronic 2; H411	Calculation method			

# Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.



according to Regulation (EC) No 1907/2006

Zinc plating solution				
Revision: 15.07.2025	Product code: DG-005	Page 11 of 11		
H314	Causes severe skin burns and eye damage.			
H315	Causes skin irritation.			
H318	Causes serious eye damage.			
H319	Causes serious eye irritation.			
H400	Very toxic to aquatic life.			

### **Further Information**

H410

H411

The information given in this safety data sheet is to describe the product's safety regulations. It is not for guaranteeing certain characteristics and is based on today's knowledge. The safety data sheet was generated upon information of pre-suppliers by:

Very toxic to aquatic life with long lasting effects.

Toxic to aquatic life with long lasting effects.

asseso AG, Ottostraße 1, 63741, Aschaffenburg, Germany Phone: +49 (0)6021 - 1 50 86-0, Fax: +49 (0)6021 - 1 50 86-77, E-Mail: eu-sds@asseso.eu, www.asseso.eu

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)